



## Circ Round Ø600

Josep Patsi

Pendant Circ Round Ø600 LED 31 LED warm-white 3000K ON-OFF White 1577lm

### Technical features

- Luminaire total power: 31W
- Real lumens: 1577
- Real lm/W: 51
- Correlated Colour Temperature (CCT): LED warm-white 3000K
- Lens / reflector angle: HORIZONTAL 150°
- UGR: <=19
- Structure material: Aluminium, Steel
- Structure finish: White
- Diffuser material: Methacrylate
- Diffuser finish: Tinted
- Driver Brand: MEANWELL
- Voltage / frequency: 100-240V/50-60Hz
- Dimming protocol: ON-OFF
- Power Factor: 0.50
- Useful life: 50,000h L80B20
- Warranty: 5 años



### Luminotechnic features

- Luminance C0°G65°: 1123
- Luminance C90°G65°: 1133
- CRI: 80
- MacAdam steps: 5
- Photobiological risk: RG0

UGR	
S=0.250	
Ceiling / cavity	0.7
Walls	0.5
Working Plane	0.2
Room dimensions	X=4H, Y=8H
UGR crosswise	17.5
UGR lengthwise	17.5

Lampholder	Quantity	Light source power (W)
LED	1	22W





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Circ Round Ø600

Josep Patsi

Pendant Circ Round Ø600 LED 31 LED warm-white 3000K ON-OFF White 1577lm

### Logistics



x 1

Net weight (kg): 4.3

Packaged weight (kg): 5.41

Packaging: 670mm x 130mm x  
670mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Circ Round Ø600

Josep Patsi

Pendant Circ Round Ø600 LED 31 LED warm-white 3000K ON-OFF White 1577lm

### Optional accessories



71-2241-00-00

Controller with remote control

Structure material: NA  
Dimensions: 60 x NA x 114  
Net weight (kg): 0.18

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.