




Bol ø700mm

Ceiling fixture Bol ø700mm LED 33 LED warm-white 3000K ON-OFF Sand 1646lm

Technical features

- Luminaire total power: 33W
- Real lumens: 1646
- Real lm/W: 50
- Correlated Colour Temperature (CCT): LED warm-white 3000K
- Lens / reflector angle: HORIZONTAL 111°
- Structure material: Steel
- Structure finish: Sand
- Diffuser material: Textile, Acrylic
- Diffuser finish: Sandblasted, White
- Voltage / frequency: 100-240V/50-60Hz
- Dimming protocol: ON-OFF
- Power Factor: 0.90
- Useful life: 50,000h L80B20
- Warranty: 5 años



Luminotechnic features

- CRI: 80
- MacAdam steps: 3
- Photobiological risk: RGO

UGR		Lampholder	Quantity	Light source power (W)
S=0.250				
Ceiling / cavity	0.7	LED	1	29W
Walls	0.5			
Working Plane	0.2			
Room dimensions	X=4H, Y=8H			
UGR crosswise	25.8			
UGR lengthwise	25.2			





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Bol ø700mm

Ceiling fixture Bol ø700mm LED 33 LED warm-white 3000K ON-OFF Sand 1646lm

Logistics



x1

Net weight (kg): 4.65

Packaged weight (kg): 6.56

Packaging: 760mm x 760mm x
215mm

Light application



Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Bol ø700mm

Ceiling fixture Bol ø700mm LED 33 LED warm-white 3000K ON-OFF Sand 1646lm

Optional accessories



71-4695-81-81

Suspension kit

Structure material: Steel
Dimensions: 200 x NA x 1300
Net weight (kg): 0.56

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.