

Product Code 05-7742-05-05 Installation Instructions 3D File Photometry Dialux | ULD Revit (BIM)





Benedito Design

Wall fixture H LED 17 LED warm-white 2700K ON-OFF Black 570lm

Technical features

Luminaire total power: 17W

Real lumens: 570 Real Im/W: 34

Correlated Colour Temperature (CCT): LED warm-white 2700K

Lens / reflector angle: FLOOD 73°

Structure material: Steel Structure finish: Black Diffuser material: Acrylic Diffuser finish: Sandblasted

Driver Brand: HEP

Voltage / frequency: 100-277V/50-60Hz

Dimming protocol: ON-OFF

Power Factor: 0.90

Useful life: 50,000h L80B20

Warranty: 5 años













Luminotechnic features

CRI: 90

MacAdam steps: 3

Photobiological risk: RG2

UGR crosswise: 22.4 UGR lengthwise: 22.4

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	14.9W	LED warm- white 2700K






Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Product Code 05-7742-05-05

Installation Instructions 3D File Photometry Dialux | ULD Revit (BIM)



H

Benedito Design

Wall fixture H LED 17 LED warm-white 2700K ON-OFF Black 570lm

Logistics



Net weight (kg): 1.32

Packaged weight (kg): 1.98

Packaging: 370mm x 285mm x

170mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.