



## Caprice ø520mm Casambi

Ceiling fixture Caprice ø520mm Casambi LED 36W 2700K White 3072lm

### Technical features

- Luminaire total power: 39.6W
- Real lumens: 3072 (3000K)
- Real lm/W: 78
- Correlated Colour Temperature (CCT): SW 2700-3000-4000K
- Lens / reflector angle: HORIZONTAL 114°
- Structure material: Steel
- Structure finish: White
- Diffuser material: Acrylic
- Diffuser finish: White
- Voltage / frequency: 220-240V/50-60Hz
- Dimming protocol: CASAMBI
- Power Factor: 0.92
- Useful life: 50,000h L80B20
- Warranty: 5 años



### Luminotechnic features

- CRI: 90
- MacAdam steps: 5
- Photobiological risk: RGO

UGR		Lampholder	Quantity	Light source power (W)
S=0.250				
Ceiling / cavity	0.7	LED	1	36W
Walls	0.5			
Working Plane	0.2			
Room dimensions	X=4H, Y=8H			
UGR crosswise	22.1			
UGR lengthwise	21.9			





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Caprice ø520mm Casambi

Ceiling fixture Caprice ø520mm Casambi LED 36W 2700K White 3072lm

### Bluetooth range



The Bluetooth range largely depends on the obstacles and architectural features of a space, such as walls and building materials

### Logistics



Net weight (kg): 2.8

Packaged weight (kg): 4.57

Packaging: 575mm x 105mm x 575mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Caprice ø520mm Casambi

Ceiling fixture Caprice ø520mm Casambi LED 36W 2700K White 3072lm

### Optional accessories



71-6196-14-14

White suspension kit

Structure material: Steel  
Dimensions: Ø85 x NA x 20  
Net weight (kg): 0.3

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.